Autorenverzeichnis/Author Index

Abdel-Hamid R., s. *Abdel-Mawgoud A. M.*

Abdel-Mawgoud A. M., Abdel-Hamid R. Cobalt(II), copper(II), zinc(II)—amino and thiosalicylic acid ternary complexes 1219

Abu Zuhri, A. Z. Polarographic behaviour of 1,3-bis[(2-pyridyl)methyleneamino]thiourea (*PMAT*) in absence and presence of triton X-100 749

—, *Shalabi J. S.* Polarographic behaviour of 2,2′-dipyridyl-2-pyridylhydrazone (*DPPH*) and pyridine-2-aldehyde-2-quinolylhydrazone (*PAQH*) at the dropping mercury electrode 1335

Akgün E., Tunali M., Pindur U. Functionalisation with silyl enol ethers, VI. Zinc chloride mediated alkoxyalkylation of O-methyl-O-(trimethylsilyl) keten acetals with 2-alkoxy-1,3-dioxolanes 363

Al-Arab M. M., Barqawi K. R., Tabba' H. D. Anodic oxidation potentials of aromatic cyanoesters 1143

—, *Issa A. M.* A new convenient synthetic method for 3,4-diaryl-2,6-piperidinediones 987

Al-Nimri A. F., s. *Kassabov G.*

Angermayer A., s. *Buchbauer G.*

Azzem M. A., Ramiz M. M. M., Ghali E. A., Fahmy H. M., Elmoghayar M. R. H. Electroreduction of the activated olefinic double bond in some 2-aryl-1(2-acetylamino-1,3,4-thiadiazol-5-yl)-propionitrile derivatives 229

Badaby-Bila, Tandu K. R. Triterpenoid constituents from *Gardenia imperialis* 1195

Baier R., Seipp E., Hoppe R. Neue Oxocadmate der Alkalimetalle: $K_6[CdO_4]$, $Rb_6[CdO_4]$, Rb_2CdO_2 und Rb_2CdO_3 677

Baran E. J., s. *Cabello C. I.*

Baranowska I. Photochemical properties of 2,2′-biquinoxalyl and thieno[2,3-b:4,5-b′]biquinoxalyl 659

Barqawi K. R., s. *Al-Arab M. M.*

Bartsch H. Studies on the chemistry of 1,4-oxazines, XV. Synthesis of ethyl 3,4-dihydro-4-tosyl-2*H*-1,4-benzoxazine-3-carboxylate (Short commun.) 273

Begum M., s. *Wolfbeis O. S.*

Behrens R. K., Jeitschko W. UCr_4C_4 with filled $MoNi_4$ type structure 43

Belaj F., Kratky C., Nachbaur E., Popitsch A. Kristallstruktur von Monosilber(I)amidosulfat, $AgSO_3NH_2$ 19

—, —, —, — Kristallstruktur von Trisilber(I)amidosulfat-3-Ammoniak-2-Wasser $Ag_3SO_3N \cdot 3NH_3 \cdot 2H_2O$ 349

—, —, —, — Kristallstruktur von Sulfamid, $SO_2(NH_2)_2$ 427

—, —, —, — Kristallstruktur von Trisilber(I)amidosulfat Monohydrat, $Ag_3SO_3N \cdot H_2O$ 947

—, *Nachbaur E.* Kristallstruktur von Trimethylisocyanursäure, $(CH_3NCO)_3$ und von Trichlorisocyanursäure-1/2-Ethylenchlorid, $(ClNCO)_3 \cdot 1/2C_2H_4Cl_2$ 1077

Berger R. A., Sobott R. J. Characterization of $TlCu_7S_4$, a crookesite analogue 967

Bernáth G., Fülöp F., Csirinyi G., Szalma S. Stereochemical studies, 98. Saturated heterocycles, 100. Synthesis of stereoisomeric 2-ethylimino-3,1-perhydrobenzoxazines and benzothiazines 503

Bjelica L. J., s. *Chundak S. J.*

Bocelli G., s. *Tosi G.*

Bodenteich M., Chemelli E., Griengl H. N-(2,6-Dihalo-benzoyl)-N'-pyrimidinylharnstoffe 1395

Bohn M., s. *Kohler F.*

Bös M., Fleischhacker W. Über eine neue Umlagerung unter den Bedingungen der *Wittig*-Olefinierung (Kurze Mitt.) 527

Brandner A., s. *Kappe T.*

Brillas E., s. *Doménech J.*

Brzyska W., s. *Ferenc W.*

Buchbauer G., Dominici S., Rohner H. C., Karner F. δ-Santalolanaloga, II. Synthesen in der Isocamphanreihe, 28. Mitt. 511

—, *Püspök G., Angermayer A., Silbernagel E., Manz M.* δ-Santalolanaloga, I. Synthesen in der Isocamphanreihe, 27. Mitt. 387

—, *Spreitzer H., Kurz M.* Zur Synthese von Homocamphenilansäure. Synthesen in der Isocamphanreihe. 29. Mitt. 845

Buggle K., Fallon B. Peracid oxidation of benzothiopyranthiones and benzopyranthiones 1197

Bukovec N., Bukovec P. Synthesis and characterisation of $Tl[Ln(SO_4)_2 \cdot x\,H_2O]$ (Ln = La-Tb) 301

Bukovec P., s. *Bukovec N.*

Caballol R., Ribó J. M., Trull F. R., Vallés A. Reactivity of pyrrole pigments, IX. MINDO/3 calculations on dipyrrolic partial models of bile pigments 993

—, —, —, — Reactivity of pyrrole pigments, X. MINDO/3 calculations on bile pigments 1011

Cabello C. I., Baran E. J. Spektroskopisches und thermisches Verhalten von $K_2HAsCr_2O_{10}$ 1257

Capek E., Schwarzhans K. E. ^{207}Pb-NMR Untersuchungen an Bleiorganylen 419

Cardellini L., s. *Tosi G.*

Cardillo B., s. *Tosi G.*

Chang Y. A., s. *Ngai T. L*

Chemelli E., s. *Bodenteich M.*

Cherek H., s. *Gloyna D.*

Choma J., Jankowska H., Piotrowska J., Jaroniec M. A simple isotherm equation for describing gas adsorption on heterogeneous microporous solids 315

Chundak S. J., Leovac V. M., Bjelica L. J. Coordination compounds of Co(II), NI(II), and Cu(II) with capric acid hydrazide 923

Coerdt W., s. *Spurny J.*

Cruz-Bermúdez G., García-Rodríguez A., Moreno-Carretero M., Salas-Peregrín J. M., Valenzuela-Calahorro C. Metal complexes of some 5-nitrosopyrimidine derivatives 329

Cruz Pérez N., s. *Lopez Garzón R.*

Csirinyi G., s. *Bernáth G.*

Cyvin B. N., s. *Cyvin S. J.*

Cyvin S. J., Cyvin B. N. Enumeration of Kekulé structures: Étagères and related benzenoid classes 337

—, s. *Gutmann I.*

Czakis-Sulikowsky D. M., Radwańska-Doczekalska J. 2,2'-Bipyridyl complexes with heavy rare-earth bromides and YBr_3 1243

Damrath V., s. *Wannagat U.*

Dawen F.-J.; s. *Seel F.*

Demuth A. A. M., s. *Ellermann J.*

Dixit R., Garg B. S. Potentiometric studies on the chelation behaviour of ω-benzoyl-2-hydroxy-4-methoxy-3-methyl-acetophenone (*BHMMA*) with lanthanons 1113

—, — Evaluation of formation constants of complexes of a biologically active compound (*LAMI*) with lanthanons 1237

Doménech J., Brillas E., Garrido J. A., Rodriguez R. M. Viscosity B-coefficients for lithium perchlorate in ethylene glycol-water mixtures 197

Dominici S., s. *Buchbauer G.*

Doungdee P. B., Kopkol S. U., Rode B. M. The influence of hydration on the rotational barriers of glycine 691

Dubey R. C., s. *Nath N.*

Effenberger H. Darstellung und Kristallstruktur von $Pb_2(NO_2)(NO_3)(SeO_3)$ 211

Eichinger D., Falk H. Beiträge zur Chemie der Pyrrolpigmente, 68. Mitt.: Zum Kationentransport mit tripyrrinoiden Ionophoren 91

—, — Beiträge zur Chemie der Pyrrolpigmente, 69. Mitt.: Tripyrrine vom Prodigiosentyp als Ionophore 255

—, — Beiträge zur Chemie der Pyrrolpigmente, 70. Mitt.: Zum aktiven Transport mit tripyrrinoiden Liganden 261

Elasmy A. A.., s. *Fouda A. S.*

Elbanowski M., Lis S., Konarski J., Makowska B. Fluorescence of lanthanide(III) complexes with aminopolyacetic acids in aqueous solutions 907

El-Gyar S. A., s. *Mahmoud M. R.*

Ellermann J., Demuth A. A. M. Chemie polyfunktioneller Moleküle, 94. Mitt.: Chrom- und Wolfram-pentacarbonylderivate des 4-Methyl-1,2,6-triphosphatricyclo[2,2,1,$0^{2,6}$]heptans (P_3-Nortricyclans) 183

El-Manguch M. A.., s. *Khalil S. A.*

El-Maraghi S. B., s. *El-Shetary B. A.*

Elmoghayar M. R. H., s. *Azzem M. A.*

El-Shetary B. A., Stefan S. L., Zidan F. I., El-Maraghi S. B. Determination of stability constants of some substituted 4-pyrazolone dyes containing *o*-methoxy, *o*-carboxy, and *o*-nitro groups with trivalent lanthanide ions 1101

Fahmy H. M., s. *Azzem M. A.*

Falk H., Grubmayr K., Wöss H. Beiträge zur Chemie der Pyrrolpigmente, 71. Mitt.: Die Rubin(Biladien-ac)-Violin(Biladien-ab)-Tautomerisierung 813

— , *Kapl G., Medinger W., Müller N.* Beiträge zur Struktur der Pyrrolpigmente, 72. Mitt.: Phytochrommodellstudien: Die Synthese eines zwischen den pyrrolischen Ringen A und C peptidartig überbrückten 2,3-Dihydrobilatriens-abc 973

—, *Müller N., Wöss H.* Beiträge zur Chemie der Pyrrolpigmente, 74. Mitt.:

Zur Steuerung des Diastereomeren- und Konformerengleichgewichts von Bilatrienen-abc durch 10-Heteroaryl-substituenten mit Wasserstoffbrücken-Acceptor- und Donorfunktionen 1301

—, *Wöss H.* Beiträge zur Struktur der Pyrrolpigmente, 73. Mitt.: Synthese und Struktur von 10-Aryl-bilatrien-abc 1413

—, s. *Eichinger D., Wagner U. G.*

Fallon B., s. *Buggle K.*

Ferenc W., Brzyska W. Preparation and properties of yttrium, lanthanum and lanthanide *o*-nitrobenzoates 1087

Fischer J., s. *Kohler F.*

Fleischhacker W., s. *Bös M.*

Flödl H., s. *Wagner U. G.*

Fouda A. S., Elasmy A. A. Efficiency of some phenylthiosemicarbazide derivatives in retarding the dissolution of Al in NaOH solution 709

Freitag S., s. *Spitzner R.*

Fries R., s. *Weidner J.*

Fülöp F., s. *Bernáth G.*

Ganapathy K., Gurumurthy R., Mohan N., Sivanagam G. Kinetics and mechanism of oxidation of cyclohexanol by 1-chlorobenzotriazole (*CBT*) in acid medium 583

García-Rodríguez A., s. *Cruz-Bermúdez G., Lopez Garzón R.*

Garrido J. A., s. Doménech J.

Garg B. S., s. *Dixit R.*

Geiger H., s. *Wolfbreis O. S.*

Ghali E. A., s. *Azzem M. A.*

Gloyna D., Kawski A., Gryczyński I., Cherek H. Einfluß der Polarität und Viskosität des Lösungsmittels auf die Deaktivierung des S 1-Zustandes von Donor-Akzeptor-substituierten *trans*-Stilbenen 759

Griengl H., s. *Bodenteich M., Hayden W.*

Grubmayr K., Widhalm M. Enantiomerentrennung und chiroptischen Eigenschaften eines 2,3-Dihydrobilatriens-abc 837

—, s. *Falk H.*

Gryczyński I., s. *Gloyna D.*

Gstach H., s. *Schantl J. G.*

Gurumurthy R., s. *Ganapathy K.*

Gutierrez Valero D., s. *Lopez Garzón R.*

Gutmann I., Cyvin S. J. Topological properties of benzenoid systems, XXXV. Number of Kekulé structures of multiple-chain aromatics 541

Halwax E., Völlenkle H. Die Kristallstruktur eines neuen Alkalidigermanats, $Na_4K_2Ge_2O_7$ 573

Harder U., s. *Wannagat U.*

Haslinger E., Kalchhauser H. Conformational behaviour of *Z*-Pro-(*thr*)*Ox*-O*Me* in solution 607

Häusler J.- Ein einfacher Zugang von (*R*)-γ-Amino-β-hydroxybuttersäure (*GABOB*) aus natürlichem (2*S*, 4*R*)-4-Hydroxyprolin (Kurze Mitt.) 865

Hayakawa H., s. *Ueno Y.*

Hayden W., Pucher R., Griengl H. α-Alkoxy-β-dicarbonylverbindungen durch Acylierung von Lithiumenolaten (Kurze Mitt.) 415

Hayes F. H., s. *Kubitz R.*

Hayn M., s. *Schaur R. J.*

He M., Schlögl K., Widhalm M. Asymmetric reduction of prochiral arylketones with chiral 2,2′-dihydroxy-1,1′-binaphthyl-borane complexes 127

Heckmann K., s. *Spurny J*

Heinisch G., Holzer W., Völlenkle H. Die Struktur des Reaktionsproduktes von 2-Hydroximino-3-oxo-5-phenyl-4-pentennitril mit Cyanessigsäureethylester 409

Henn C., s. *Weidner J.*

Hennig K., s. *Riemschneider R.*

Hill J. O., s. *Roe S. P.*

Hofer O., Neudeck H. Lanthanide induced shifts of sterically hindered aromatic carbonyl compounds. Oxomethylene-bridged, acetyl-, and formyl-2,2′-spirobiindanes 1163

Holzer W., s. *Heinisch G.*

Hoppe R., s. *Baier R.*

Horn E.-M., Keiser H., Schöller K. Zur thermischen Zersetzung der hochkonzentrierten Salpetersäure 1205

Huber W., s. *Owtscharenko W. I.*

Huemer H., s. *Narodlawsky M.*

Ibrahim S. A., s. *Mahfouz R. M.*

Issa A. M., s. *Al-Arab M. M.*

Iwamura H., s. *Lipczyńska-Kochany E.*

Jakubke H.-D., s. *Kuhl P.*

Jankowska H., s. *Choma J.*

Jaroniec M., s. *Choma J.*

Jeitschko W., s. *Behrens R. K.*

Johann G., s. *Mattes R.*

Johne S., s. *Süsse M.*

Jones I. P., s. *Pratt J. N.*

Kalali H., Kohler F., Svejda P. Excess properties of the mixture bis(2-dichloroethyl)ether (chlorex) + 2,2,4-trimethylpentane (isooctane) 1

Kalchhauser H., s. *Haslinger E.*

Kaldis E., s. *Piechotka M.*

Kalinowski M. K., s. *Kwiatek B.*

Kang W.-B., s. *Ueno Y.*

Kapl G., s. *Falk H.*

Kappe T., Brandner A., Stadlbauer W. Synthese von kondensierten Benzofuranen durch Dehydratisierung cyclischer Phenyl-β-Dicarbonylverbindungen 1177

—, s. *Stadlbauer W.*

Karem A.-S., s. *Stadlbauer W.*

Karner F., s. *Buchbauer G.*

Kassabov G., Al-Nimri A. F. Influence of the temperature on the extraction of some lanthanides with 1-phenyl-3-methyl-4-benzoyl-pyrazolone-5 307

—, *Al-Nimri A. F.* Thermodynamic parameters for the extraction of some lanthanides with 1-phenyl-3-methyl-4-benzoyl-pyrazolone-5 and trioctylamine 445

Kawski A., s. *Gloyna D.*

Keiser H., s. *Horn E.-M.*

Khalil S. A., El-Manguch M. A. The kinetics of zinc dissolution in nitric acid 453

Klapötke T., Köpf H. Titanocen-cyandithioformiat-Komplexe 671

Klos K.-P., s. *Seel F.*

Kočevar M., Koller J., Stanovnik, B., Tišler M. Synthesis and transfomations of pyrido[2,3-d]pyrimidines 399

Kochany J., s. *Lipczyńska-Kochany E.*

Kohler F., Bohn M., Fischer J., Zimmermann R. The excess properties of nitric oxid mixtures 169

—, s. *Kalali H.*

Koller J., s. *Kočevar M.*

Konarski J., s. *Elbanowski M.*

Köpf H., s. *Klapötke T.*

Kopkol S. U., s. *Doungdee P. B.*

Kowalska T. Chromatographic determination of the solubility of low soluble substances. A practical possibility 879

Kratky C., s. *Belaj F., Mautner F. A., Wagner U. G.*

Kreja L. H_2O_2-Zerfall in Gegenwart von Polyeisenphthalocyaninen 717

Krischner H., s. *Mautner F. A., Taeb A.*

Kubaschewski O., s. *Spencer P. J.*

Kubitz R., Hayes F. H. Enthalpies of mixing in the iron-manganese system by direct reaction calorimetry 31

Kuhl P., Schaaf R., Jakubke H.-D. Studies on enzymatic peptide synthesis in biphasic aqueous-organic systems with product extraction 1279

Kurz M., s. *Buchbauer G.*

Kurzer F., Patel J. N. Diisophorone and related compounds, XVII. Synthesis and nucleophilic reactions of 4,8-dibromodiisophorones 793

—, *Patel J. N.* Diisophorone and related compounds, XVIII. Ring contraction in diisophorone by the *Favorski* reaction 1363

Kuźnik B., Malinowka A. Solvent extraction of rare earth metal ions with 1-(2-pyridylazo)-2-naphthol (*PAN*) 1325

Kwiatek B., Kalinowski M. K. Additivity of the *Hammet* reaction constants. Ion pairs effect in the polarographic reduction of nitrobenzene and 9,10-anthraquinone derivatives 733

Lapachev V., Stekhova S., Mamaev V. Tautomerism of 2-(*o*-hydroxyphenyl)-azines (Short commun.) 669

—, s. *Müller N.*

Leovac V. M., s. *Chundak S. J., Petrović D. M.*

Lesinski M., s. *Spitzner R.*

Leskovac V., Trivić S., Marganović D., Prodanov V. The mechanism of addition-reactions to the C-5 atoms of the nicotinamide moiety of *NADH 1119*

Lipczyńska-Kochany E., Iwamura H., Kochany J. Photochemistry of N-phenylbenzenecarbohydroxamic acid 1345

Lis S., s. *Elbanowski M.*

Lomozik L., s. *Wojciechowska A.*

Lopez Garzón R., Gutierrez Valero D., Valenzuela Calahorro C., Cruz Pérez N., Garcia Rodriguez A. Metal complexes of two 7-oxo-vic-triazolo[4,5-d]pyrimidine derivatives 553

Maekawa E., s. *Ueno Y.*

Magee R. J., s. *Roe S. P.*

Mahfouz R. M., Ibrahim S. A. Synergistic extraction of cobalt(II) complexes with toluene-3,4-dithiol in presence of some benzylamines 589

Mahmoud M. R., El-Gyar S. A., Shaker A., Mawgoud A. M. Synthesis and properties of Zn(II) salizylidene amino acid complexes 1289

Mainka E., s. *Spurny J.*

Majdan M., Sadowski P. Nitrate ion association with Sm^{3+} ion 595

Makowska B., s. *Elbanowski M.*

Malinowska A., s. *Kuźnik B.*

Malyszko J., Scendo M. Redox equilibria in the Cu^{2+}-Cu^{+}-Cu system in water-dimethyl-sulphoxide (*DMSO*) mixtures 435

Mamaev V., s. *Lapachev V.*

Manz M., s. *Buchbauer G.*

Marganović D., s. *Leskovac V.*

Marshall D., s. *Ngai T. L.*

Mattes R., Johann G., Pieper C. Bisamide der Quadratsäure: Die Molekülstrukturen von 3,4-Dipyrrolidino-3-cyclobuten-1,2-dion, 2,4-Dipyrrolidino-3-oxocyclobutenylium-1-olat(Dipyrrolidinoquadratain) und 2,4-Dipyrrolidino-3-oxocyclobutenylium-1-thiolat (Dipyrrolidinothioquadratain) 105

Mautner F. A., Krischner H., Kratky C. Präparation und Kristallstrukturanalyse von $Ca(N_3)_2(C_5H_5N)_2$ 567

Mawgoud A. M., s. *Mahmoud M. R.*

Medinger W., s. *Falk H.*

Meyer A., Schlögl K., Schwager H. Chromatographische Enantiomerentrennung, chiroptische Eigenschaften und absolute Chiralität von Pentacyclo(7,4,1,$1^{2,7}$,$0^{1,9}$,$0^{2,7}$]pentadeca-3,5,10,12-tetraen-8-on, einem pentacyclischen Cyclopentanonderivat mit C_2-Symmetrie 535

Miksche G., Wolf A., Trummer I., Thomke K. Mehrstufiges Verfahren zur Herstellung von Deuteropropanon auf katalytischem Weg 355

Misra U. S., s. *Nath N.*

Mittelbach M. Synthesen mit Nitrilen, LXXV. Zur Reaktivität der Dimeren von Malononitril und Cyanessigester gegenüber Dimethylformamid-dimethylacetal 617

Mohan N., s. *Ganapathy K.*

Möhrle H., Schillings P. Tetracyclische Imidazole 477

Moreno-Carretero M., s. *Cruz-Bermúdez G.*

Moser F., s. *Narodlawsky M.*

Müller N., Lapachev V. V. The use of ^{1}H-^{15}N coupling constants for the investigation of tautomeric equilibria of azines 1201

—, s. *Falk H.*

Müller-Buschbaum H., s. *Mumm H.-C., Schiffler S., Schröder F.*

Mumm H.-C., Müller-Buschbaum H. Zur Kristallstruktur von α-$TlSmW_2O_8$ 1357

Nachbaur E., s. *Belaj F.*

Nan'ya S., s. *Ueno Y.*

Narodlawsky M., Huemer H., Moser F. Flüssig-flüssig-Gleichgewicht und Dichten der koexistierenden Phasen des Systems Wasser-Methanol-Dichlormethan im Bereich zwischen 20 und 90 °C 1129

Nath N., Dubey R. C., Misra U. S. Kinetics of oxidation of ethyldigol by vanadium(V) in aqueous acidic medium 63

Neudeck H. Aromatische Spirane, 14. Mitt.: Darstellung von 2,2'-Spirobi-(*s*-hydrindacen) und seinen Vorstufen 627

—, s. *Hofer O.*

Ngai T. L., Marshall D., Sharma R. C., Chang Y. A. Thermodynamic properties and phase equilibria of the lead-tellurium binary system 277

Owtscharenko W. I., Huber W., Schwarzhans K. E. Synthese eines Ferrocen-Spinlabels 955

—, *Schnell E., Schwarzhans K.-E.* Kupfer(II)-Komplexe mit para- und diamagnetischen Semicarbazon-Liganden 773

Patel J. N., s. *Kurzer F.*

Patil M. R., s. *Shukla J. P.*

Pertlik F. The structures of 1-(2'-hydroxybenzoyl)piperidine and 4-(2'-hydroxybenzoyl)morpholine 1349

Petrović A. F., s. *Petrović D. M.*

Petrović D. M., Leovac V. M., Petrović A. F. Electronic spectra of Cu(II) crystal complexes with S-methylthiosemicarbazones 699

Pfeuffer L., Pindur U. Zur Reaktion von *E*/*Z*-Benzolsulfonyl-3(2-methoxyvinyl)-indol mit Carbo- und Heterodienophilen: Neue *Diels-Alder*-Addukte aus der Indol- bzw. Carbazol-Reihe, V. 1073

—, s. *Pindur U.*

Piechotka M., Kaldis E. Some sources of defects in α-HgI_2 crystals for room temperature γ-ray detectors 137

Pieper C., s. *Mattes R.*

Pilarczyk M. The coordination state of $CoCl_2$ in propylene carbonate 1225

Pindur U., Pfeuffer L. Selektive Synthesen zu 1'-aryl-, 1'-hetaryl- und 1'-alkylsubstituierten 3-Vinylindolen 1031

—, *Schiffl E.* Zur Konstitutionsaufklärung trisubstituierter Indolderivate: NMR-spektroskopische Untersuchung von Bis(2,3-dimethyl-6-indolyl)-arylmethanen 521

—, s. *Akgün E., Pfeuffer L.*

Piotrowska J., s. *Choma J.*

Popitsch A., s. *Belaj F.*

Pratt J. N., Jones I. P. Some predictions concerning the configurational characteristics of the vanadium-cobalt sigma phase 51

Prodanov V., s. *Leskovac V.*

Pryadko L. F., s. *Ristić M. M.*

Pucher R., s. *Hayden W.*

Püspök G., s. *Buchbauer G.*

Radwańska-Doczekalska J., s. *Czakis-Suilikowska D. M.*

Ramiz M. M. M., s. *Azzem M. A.*

Reisch J., Rosenthal B. H. W. Naturstoffchemie, 108. Mitt.: Synthese des 7,7'-Oxy-dicumarins, dem möglichen Präkursor von Lasioerin und Gnidicumarin (Kurze Mitt.) 871

Ribó J. M., s. *Caballol R.*

Richter M., s. *Spitzner R.*

Riemschneider R., Hennig K., Wons T. Über Farbreaktionen mehrfach acylierter Aromaten mit Aminosäuren 831

Ristić M. M., Skripnik F. V., Pryadko L. F. Estimation of physical properties of transition metals based on a configuration model of solids 323

Rode B. M., s. *Doungdee P. B.*

Rodriguez R. M., s. *Doménech J.*

Roe S. P., Hill J. O., Magee R. J. A spectroscopic and electrochemical study of some copper(II) tetraaza macrocyclic complexes 463

Rohner H. C., s. *Buchbauer G.*

Romero Molina M. A., s. *Sanchez Sanchez M. P.*

Rosenthal B. H. W., s. *Reisch J.*

Rozwadowki M., s. *Wojsz R.*

Sadowski P., s. *Majdan M.*

Sager M. Rapid determination of fluorine in solid samples 254

Salas-Peregrin J. M., s. *Cruz-Bermúdez G., Sanchez Sanchez M. P.*

Sanchez Sanchez M. P., Salas Peregrin J. M., Romero Molina M. A. Rh(III), Pd(II), Pt(IV), and Au(III) complexes of 2-thiopyrimidine derivatives *883*

Scendo M., s. *Malyszko J.*

Schaaf R., s. *Kuhl P.*

Schantl J. G., Gstach H. Geminale Azo- und Heteroelement-Funktionen, 4. Mitt.: O- und N-funktionelle Arylazodiphenylmethyl-Derivate 851

Schauenstein E., s. *Schaur R. J.*

Schaur R. J., Winkler P., Hayn M., Schauenstein E. Decrease of glutathione and fatty acids during iron-induced lipid peroxidation in Ehrlich ascites tumor cells 823

Schiffl E., s. *Pindur U.*

Schiffler S., Müller-Buschbaum Hk. Neue Verbindungen zum $BaNiNd_2O_5$-Typ: $BaNiLn_2O_5$ (Ln = Sm, Ho, Er, Tm) 741

Schillings P., s. *Möhrle HU.*

Schliephake A., s. *Wannagat U.*

Schlögl K., s. *He M., Meyer A.*

Schmidt H.-W. Synthese neuer 4-Hydroxybenzonitrilderivate und deren herbizide Eigenschaften 217

Schnell E., s. *Owtscharenko W. I.*

Schöller K., s. *Horn E.-M.*

Schröder F., Müller-Buschbaum Hk. Synthese und Strukturaufklärung von $SrBeLa_2O_5$ 959

Schroth W., Spitzner R. Synthese von 4-(sec-Amino)-1,3-oxazin-2-onen und 4-(sec-Amino)-1,3-oxazin-2-thionen über elektrocyclische Ringschlußreaktion 1263

—, *Spitzner R.*

Schwager H., s. *Meyer A.*

Schwarzhans K.-E., Stolz W. Ferrocenylcobaltocenium-hexafluorophosphat und 1,1'-Ferrocenylendicobaltocenium-bis-hexafluorophosphat. Gemischtkernige Komplexe vom Bi- und Termetallocen-Typus 875

—, s. *Capek E., Owtscharenko W. I.*

Seel F., Dawen F.-J., Klos K.-P. Dieisen(III)-hexacyanoferrat(II)-oxid 203

Seipp E., s. *Baier R.*

Shaker A..., s. *Mahmoud M. R.*

Shalabi J. s., s. *Abu Zuhri A. Z.*

Sharma R. C., s. *Ngai T. L.*

Sharma R. S., s. *Shukla J. P.*

Shukla J. P., Sharma R. S., Patil M. R. Proton dissociation constants of benzoylacetone and isonitrosobenzoylacetone in aqueous dioxane media 931

Silbernagel E., s. *Buchbauer G.*

Sivanagam G., s. *Ganapathy K.*

Skripnik F. F..., s. *Ristić M. M.*

Sobott R. J., s. *Berger R. A.*

Spencer P. J., Kubaschewski O. A thermodynamic evaluation of the Ag-Al system 155

Spitzner R., Lesinski M., Richter M., Schroth W. Nukleophile Substitutionen und Eliminierung von Aminofunktionen via Pyriliumsalze 485

—, *Freitag S., Schroth W.* Ringschlußreaktionen von 2-Acyl-1-chlorenaminen mit thioamidfunktionellen Verbindungen: Wahlweiser Zugang in die 1,3-Thiazin- und 1,3-Oxazin-Reihe 1383

—, s. *Schroth W.*

Spreitzer H., s. *Buchbauer G.*

Spurny J., Heckmann K., Mainka E., Coerdt W. Fällung der anionischen Nitratokomplexe von Ce^{4+} und Pu^{4+} mit Cetylpyridiniumnitrat (Kurze Mitt.) 789

Stadlbauer W. Synthese von chinolinkondensierten 2-Chinolonen und Cumarinen via Azidoverbindungen 1297

—, *Karem A.-S., Kappe T.* Eine einfache Synthese von 11*H*-Indolo[3,2-c]chinolin-6-onen 81

—, s. *Kappe T.*

Stanovnik B., Urleb U., Tišler M. An unequivocal synthesis of some substituted 1,2,4-triazolo[1,5-a]pyrimidines 601

—, s. *Kočevar M.*

Stefan S. L., s. *El-Shetary B. A.*

Stekhova S., s. *Lapachev V.*

Sterk H., s. *Wittmann H., Ziegler E.*

Stolz W., s. *Schwarzhans K.-E.*

Süsse M., Johne S. Chinazolincarbonsäuren, 10. Mitt.: Synthese von 1-Methyl-2,4-dioxo-chinazolin-3-yl-essigsäure, 2,4-Dioxo-chinazolin-1-yl-essigsäuren, 2,4-Dioxo-1,3-chinazolin-diessigsäuren und deren Ester 71

Svejda P., s. *Kalali H.*

Szalma S., s. *Bernáth G.*

Tabba' H. D., s. *Al-Arab M. M.*

Taeb A., Krischner H., Kratky C. Strontiumazid-Harnstoff, $Sr(N_3)_2 \cdot OC(NH_2)_2$. Darstellung und Kristallstruktur 727

Tajmir-Riahi H.-A. Preparation, spectroscopic and structural analysis of uranium-arabinose complexes 245

Tandu K. R., s. *Babady-Bila*

Thomke K., s. *Miksche G.*

Tišler M., s. *Kočevar M., Stanovnik B.*

Tosi G., Cardellini L., Cardillo B., Bocelli G. Interactions of indole derivatives with organic acceptors, III 369

Trivić S., s. *Leskovac V.*

Trull F. R., s. *Caballol R.*

Trummer I., s. *Miksche G.*

Tunali M., s. *Akgün E.*

Ueno Y., Nan'ya S., Hayakawa H., Kang W.-B., Maekawa E. Synthesis of some 5*H*-benzo[a]phenothiazin-5-one derivatives 381

Urleb U., s. *Stanovnik B.*

Valenzuela-Calahorro C., s. *Cruz-Bermúdez G., Lopez Garzón R.*

Vallés A., s. *Caballol R.*

Vilsmaier E., s. *Weidner J.*

Völlenkle H., s. *Halwax E., Heinisch G.*

Wagner U. G., Kratky C., Falk H., Flödl H. Kristallstruktur und Konformation eines linearen Pentapyrrols 1185

Wannagat U., Damrath V., Schliephake A., Harder U. Sila-Riechstoffe und Riechstoff-Isostere, 11. Mitt.: Vergleich von Carbinolen und Silanolen mit Thiocarbinolen und Silanthiolen 779

Weidner J., Vilsmaier E. Aminocyclopropyl-substituierte CH-Säuren als Substrate der nukleophilen Substitution am Dreiring 1057

—, — *Fries R.* 2-Cyclopropyliden-1,3-cycloalkandione als Zwischenstufen einer nukleophilen Substitution am Dreiring 1039

—, —, *Henn C.* Eine Synthese für Cyclopropandiyl-bis-(isopropylidenmalonate) 1147

Widhalm M., s. *Grubmayr K., He M.*

Winkler P., s. *Schaur R. J.*

Wittmann H., Ziegler E., Sterk H. Bistrifluormethansulfonate aus Monoacyl-Yliden (Kurze Mitt.) 531

—, s. *Ziegler E.*

Wojciechowska A., Lomozik, L., Zieliński S. Potentiometric and spectral studies of complex formation of La(III), Pr(III) and Lu(III) with aspartic acid and asparagine 1317

Wojsz R., Rozwadowski M. Distribution functions of structural heterogeneity of microporous adsorbents 893

Wolf A., s. *Miksche G.*

Wolfbeis O. S., Begum M., Geiger H. The fluorescence properties of luteolines 1403

Wons T., s. *Riemschneider R.*

Wöss H., s. *Falk H.*

Zidan F. I., s. *El-Shetary B. A.*

Ziegler E., Wittmann H., Sterk H. Über Reaktionen mit Betainen, 22. Mitt.: Über S-Betaine und ihre Beziehungen zu stabilen S-Yliden 115

—, s. *Wittmann H.*

Zieliński S., s. *Wojciechowska A.*

Zimmermann R., s. *Kohler F.*

Sachverzeichnis/Subject Index

Absolute chirality 127
Absorption, oxygen 203
Acetylbenzenes 831
Active transport 261
Activity coefficient 595
Acyl migration 1263, 1383
2-Acyl-1-chloro-enamines 1263, 1383
Acylation 415
Acylketene aminals 1263
— dichlorides 1263, 1383
Acylvinylchlorides, 1-heterosubstituted 1383
Adsorbent heterogeneity 315
Adsorption 893
—, of gases 315
Alkali digermanate, X-ray 573
2-Alkoxy-carbonylmethylamino-benzamides 71
α-Alkoxy-β-diketones 415
α-Alkoxy-β-ketoesters 415
Alkoxyalkylation 363
Aluminium, retarding dissolution 709
Aluminum-Ag 155
Amino acid 691
—, analysis 831
—, derivatives, oxidation 865
—, zinc(II) salizylidene complexes 1289
γ-Amino-β-hydroxybutanoic acid (GABOB) 865
Aminobicyclo[n.1.0]alkane derivatives 1039
Aminocyclopropane derivatives 1147, 1057
Aminopolyacetic acids 907
Anellated tetrahydro-β-carbolines 477
Anisotropic extinction 427
[b]-Annellated indoles 1073
9,10-Anthraquinone 733
Arabinose-uranium complex 245
Aromatics 541
Arsenium, $K_2HAsCr_2O_{10}$ 1257
10-Aryl-bilatrienes-abc 1413
1-(Arylazo-diphenylmethyl)-pyridinium bromides 851
Arylazoalkyl compounds, synthesis 851
Arylhydrazones, reaction with bromine and pyridine 851
Asparagine, complexes 1317
Aspartic acid, complexes 1317
Associating mixtures 169
Atomic order 51
Aza, tetra- 463
Azide, X-ray 567, 727
Azido compounds, for synthesis 1297
4-Azido-2(1H)-quinolones 81
4-Azido-3-benzyl-2-quinolones 1297
Azine tautomerism 669, 1201

B-coefficient 197
Barium, NiLn, X-ray 741
Benzenoids 337, 541
5H-Benzo[a]phenothiazin-5-one derivatives 381
Benzofuranes 1117
Benzonitriles 217
[1]Benzopyrano[4,3-b]quinolones 1297
Benzopyranthiones 1197
Benzothiazines, perhydro- 503
Benzhothiopyranthiones 1197
Benzoxazine, substituted 273
3,1-Benzoxazine-2,4-dione 71
Benzoxazines, perhydro- 503
N-Benzoyl-N′-phenylureas 1395
Benzoylacetone 931
Beryllium, $SrBeLa_2O_5$ 959
Betaines 115
Bicyclo[2.2.2]octanes 845
Biladienes-ab 813
Biladienes-ac 813
Bilatrienes-abc 1301, 1413
Bile pigments, s. Pyrrole pigments
2,2′-Bipyridyl complexes 1243
4,4′-Bipyridyl complexes 1243
2,2′-Biquinoxalyl 659
Bis(2-dichloroethyl)ether 1
Bis(cyclopentadienyl)-bis(cyanodithioformato)-titanium(IV) 671

Bis(cyclopentadienyl)-chloro-cyano-dithioformato-titanium(IV) 671
Bis(cyclopentadienyl)-maleonitrile-dithiolato-titanium(IV) 671
Bis[2-pyridyl)methyleneamino]thiourea 749
Borane complexes, chiral 127
Broadband-INEPT 1201
Bromocoumarin, 5- and 7- 871
Bulk membrane 91, 255, 261
Bunnett hypothesis 63

Calcium azide, X-ray 567
Calorimetry 31
Camphene 511
Camphoraceous odour 511
Capric hydrazide, as ligand 923
Carbides 43
Carbons, activated 315, 893
Catalytic process 355
Cation transport 91, 255
Cetylpyridinium nitrate 789
Charge transfer complexes 369
Chiral borane complexes 127
Chiroptical properties 837
Chlorex 1
1-Chlorobenzotriazole (CBT) 583
Chromatography 879
—, recycling 127
Chromium, $K_2HAsCr_2O_{10}$ 1257
—, complexes 183
α-Chymotrypsin 1279
Circular dichroism 535, 837
Cobalt(II) complexes 923
Cobalt(II) complexes, extraction 589
Cobalt(II), ternary complexes 1219
Cobalt(III) chloride 1225
Cobalt, V-Co sigma phase 51
B-Coefficient 197
Colour of Ag(I) compounds 947
Complexes 127, 183, 245, 329, 369, 463, 553, 671, 699, 773, 789, 875, 883, 907, 923, 1087, 1101, 1113, 1219, 1225, 1237, 1243, 1289, 1317, 1325
Conductometry 1219, 1225, 1289
Configuration model, of solids 323
Conformation 607, 691, 837, 1185
Conformational analysis 503, 1163, 1301, 1413
Copper(II) complexes 773, 923
Copper(II) crystal complexes, X-rays 699
Copper(II) tetraaza macrocyclic complexes 463
Copper(II), ternary complexes 1219
Copper, $TlCu_7S_4$ 967
Corrosion 709
Coumarins 871, 1297
Counter transport 261
Critical properties 1
Crookesite analogue, $TlCu_7S_4$ 967
Crystal structure, s. X-Ray
Cuprous ion reproportionation 435
Canoacetate 617
Cyanoester 1143
Cyclan type ligand 463
Cyclic voltammetry 1143
Cyclisation, with C-N or C-O bond formation 399
—, with N-N bond formation 601
Cyclopropanes, nucleophilic substitution at 1057, 1039, 1147
Cyclopropylidene-1,3-cycloalkanedione intermediates 1039

Deactivation, of S1-state 759
Defects 137
Dehydration 301
Dehydrogenation f477
Densities 1129
Deuterium exchange 355
Di-iron(III)-hexacyanoferrate(II) oxide 203
Dibenzo[b,h]-1,6-naphthyridines 1297
Dielectric constants 931
Diels-Alder reaction 845, 1073
N-(2,6-Dihalobenzoyl)-N′-pyrimidinyl-ureas 1395
2,3-Dihydrobilatrienes-abc 837, 973
Diisophorone, *Favorski* ring contraction 1363
—, 4,8-dibromo-derivatives 793
Diluents 307
3,3-Dimethylbicyclo[2.2.2]octan-2-carboxylic acid, derivatives 845
Dimethylformamide-dimethylacetal 617
2,2′-Dipyridyl-2-pyridylhydrazone, polarography of 1335
Dissociation constants 1403
Dithioles 589
1′-Donorsubstituted 1031
Dysprosium(III) complexes 907

Ehrlich ascites tumor 823
Electrochemistry 229, 463, 1335

Electrocyclic reactions 1263
Electron spin resonance 463
Electronic spectra, s. Uv-vis
Electroreduction 229
Elimination reaction 485
Enantiomeric purity 127
Encymatic synthesis 1279
Enthalpies of mixing 31
Equation of state for mixtures 1
Etageres 337
1,1,2,2-Ethenetetracarbonitrile 369
Ethyldihydro-1,4-benzoxazine-3-carboxylate 273
Ethyl-(Z)-2-cyano-2-(4-oxo-2-phenyl-2-pyrrolin-5-ylidene)-acetate, X-ray 409
Ethylene glycol mixtures 197
Europium(III) complexes 907
Excess properties of mixtures 1
Extraction 445
—, Co(II) complexes 589
—, of lanthanides 307
—, of rare earth metals 1325

Fatty acids 823
Favorski ring contraction, of diisophorone 1363
Ferrocene-spinlabel 955
Ferrocenylcobaltocenium-hexafluorophosphate 875
1,1'-Ferrocenylendicobaltocenium-bis-hexafluorophosphate 875
Flavones 1403
Fluorescence 659, 907, 1403
Fluorine, determination 25
Frontier orbital model 993, 1011
Fuel cells 717

Gadolinium(III) complexes 907
Gamma-ray detector 137
Gardenia imperialis 1195
Germanate, X-ray 573
Glutathione 823
Glycine, rotational barriers 691
Gnidicoumarin 871
Gold(III) complexes 883

Halogenation 217
Hammet acidity function 63
Hammet reaction constants 733
Herbicides 217
10-Heteroaryl-bilatrienes-abc 1301
Heterocycles 71, 81, 91, 105, 229, 255, 261, 273, 369, 381, 399, 477, 485, 503, 521, 601, 659, 813, 837, 865, 883, 907, 923, 973, 987, 993, 1011, 1021, 1073, 1177, 1185, 1263, 1297, 1301, 1383, 1395, 1413
Heterogeneity effects, in adsorption 315
—, distribution function 893
Histidine 823
Homocamphenilane 845
Homocamphenilone 845
Hydration 691
s-Hydrindacen-1-one, and derivatives 627
Hydrogen bond, intermolecular 1349
Hydrogen bonding 1301
Hydrogen peroxide decomposition 717
Hydroxamic acids 1345
4-(2'-Hydroxybenzoyl)morpholine, X-ray 1349
1-(2'-Hydroxybenzoyl)piperidine, X-ray 1349
o-Hydroxyphenylazines 669
4-Hydroxyproline, (2S, 4R) 865
Hypersensitive transitions 907

Imidazoles, tetracyclic 477
Imidoyl migration 1383
Iminium ketone oximes 477
Indandione 1177
Indole derivatives 369
Indoles 521
11*H*-Indolo[3,2-c]quinolin-6-ones 81
Indolylarylmethanes 521
INEPT, broadband 1201
Inhibitor, for corrosion 709
Insecticides 1395
Interstitial carbides 43
Ion selective electrode 25
Ionic solvation 435
Ionization constants 931
Ionophores 91, 255
IR 183, 463, 875, 1087, 1243, 1257, 1289
Iron polyphthalocyanine 717
Iron-induced lipid peroxidation 823
Iron-manganese alloys 31
Isocamphane derivatives 387, 511
Isocamphenilanyl acetic acid 387
Isomerisation, *cis-trans* 607
Isonitrosobenzoylacetone 931
Isooctane 1
Isotherm equations 315

Kekulé structures 337, 541
Kinetic parameters 1335
Kinetics 63, 583
Kinetics, HNO_3 decomposition 1205

Lanthanide induced shifts 1163
Lanthanide o-nitrobenzoate 1087
Lanthanide(III) complexes, stability 1101
Lanthanides 301, 307, 1087
—, extraction 445
Lanthanoide, $SrBeLa_2O_5$ 959
Lanthanons, complexes 1237
Lanthanum o-nitrobenzoate 1087
Lanthanum(III), complexes 1317
Lasioerin 871
Lead-Te binary 277
2-(2'-Lepidylazo)-N-methylisatin 1237
Ligands, mono-, bi- and triligating 183
Lipid peroxidation 823
Liquid-liquid equilibria 1129
Lithium perchlorate 197
Luteolines, fluorescence of 1403
Lutetium(III), complexes 1317

Macrocyclic complexes 463
Magnesium oxide, catalysis by 355
Magnetic, para-, dia- 773
Malononitrile 617
Manganese-iron alloys 31
Mass spectra 183, 875
Mechanism 583, 1119
Mercuric EDTA dehydrogenation 477
Mercuric iodide 137
Metal organic compounds 183, 419, 671, 875, 955
Metal precipitation, with surfactants 789
Metallocenes 875, 955
4,8-Methano-1*H*-cyclopentacyclooctenes 1363
4-Methyl-1,2,6-triphosphatricyclo[2.2.1.0(2,6)]heptane 183
Methylides 531
Methylthiosemicarbazones, in Cu(II) complexes 699
Microporous adsorbents 315, 893
Mindo/3 993, 1011
Minerals 25
Mixed solvents 435, 931
Mixtures of polar + non-polar components 1
Mixtures, thermodynamics 169
Molecular associations 369
Monosilver(I) amidosulfate, X-ray 19
Mössbauer-spectroscopy 203

NADH 1119
Natural constituents 1195
Neodiisophorones 1363
Nickel(II) complexes 923
Nickel, BaLn, X-ray 741
Nitrate ion 595
Nitrato complexes, of Ce(IV) and Pu(IV) 789
Nitric acid 453
—, highly concentrated 1205
Nitric oxide 169
Nitrogen, pentacoordinated 947
5-Nitrosopyrimidine complexes 329
Nitrous acid intermediate 453
NMR, 2D 607
—, C13 607
—, C13 of diisophorones 793
—, H1{P31}, P31{H1} 183
—, N-15 1201
—, O17 669
—, Pb_2O_7 of organolead compounds 419
1H-NMR, solvent dependence 1301
Non-stoichiometry 137
Norbornyl derivatives 387, 511
Nucleophilic addition reactions 1119
Nucleophilic substitution 485

Octant rule 535
Odour 387
—, camphoraceous 511
—, woody 511
Olfactoric theories 779
Optical comparison 535
Optical resolution, on acetylcellulose 837
Organolead compounds 419
Organometallic compounds, s. Metallo organic compounds
Osmophoric hydroxyl group 511
1,2,4-Oxadiazoles, substituted 399
1,3-Oxazine-2-ones 1263
1,3-Oxazine-2-thiones 1263
1,3-Oxazinium salts 1383
Oxidation potentials 1143
Oxidation, by V(V) 63
—, of Cyclohexanol 583

7,7'-Oxy-dicoumarin 871
Oxygen absorption 203
Oxygen, $SrBeLa_2O_5$ 959
—, $TlSmW_2O_8$, X-ray 1357

Palladium(II) complexes 883
$Pb_2(NO_2)(NO_3)(SeO_3)$, X-ray 211
Pentacarbonylchromium complexes 183
Pentacarbonyltungsten complexes 183
Pentacoordinated nitrogen 947
Pentacyclo-pentadeca-3,5,10,12-tetraen-8-one 535
Pentapyrrin, linear 1185
Peptide 607
—, bridged 973
—, synthesis 1279
Peracid oxidation 1197
3,1-Perhydrobenzothiazines 503
3,1-Perhydrobenzoxazines 503
Peroxidation 823
Phase diagram, Ag-Al 155
Phase equilibria 277
Phenalenone 1177
Phenanthrenes 527
Phenonium ions 1177
1-Phenyl-3-methyl-4-benzoyl-pyrazolone-5 307, 445
Phenyl-β-dicarbonyl compounds 1177
Phenylbenzenecarbohydroxamic acid 1345
Phenylthiosemicarbazide derivatives 709
Phospha 183
Phosphorescence 659
Phosphorus-ylides, reactive 527
Photochemistry 659, 1345
Photocyclization 1297
Photoisomerisation, *cis-trans* 759
Photolysis 81
Photoreduction 659
Phytochrome models 973
Piperidinediones 987
Planes of silver 947
Plant material 25
Platinum(IV) complexes 883
Polarography 229, 463, 733, 745, 1335
Potassium oxocadmates, X-ray 677
Potentiometry 1113, 1237, 1317
—, chelation with lanthanons 1113
Praseodymium(III), complexes 1317
Prodigiosin 255
Propanides 531
Propanone, deuterated 355
Propylene carbonate 1225
Purity 137
Pyrazolone, 1-phenyl-3-methyl-4-(x-phenylhydrazo)-5- 1101
Pyridine-2-aldehyde-2-quinolylhydrazone, polarography of 1335
Pyridines, substituted 399
Pyrido[2,3-d]pyrimidines 399
1-(2-Pyridylazo)-2-naphthol 1325
Pyrimidines, aminochloro 1395
Pyrimidine-6-thiones 485
Pyrimidinium salts 485
Pyrrol pigments 91, 255, 261, 813, 837, 973, 993, 1011, 1185, 1301, 1413
1-Pyrroline-2-carboxylic acid derivatives 865
Pyrromethenones 993, 1011

Quinazolinyl-acetic acids 71
Quinoline-2-ones 1177
Quinolines 81
Quinolones 1297

Raman 183, 1257
Rare earth complexes 1243
Rare earth elements 1087
Rare earth metals, extraction of 1325
Reaction calorimetry 31
Redox equilibria 435
Reduction mechanism 1335
Rhodium(III) complexes 883
Ring closure reactions 81
Ring opening 399
Rotational barriers, glycine 691
Rubiaceae 1195
Rubidium oxocadmates, X-ray 677
Rubin-violin tautomerisation 813

Samarium nitrate 595
δ-Santalol, analogues 387, 511
Selectivity, cation transport 91
Semicarbazone ligands 773
Semiconductors 203
Sigma phase 51
Sila-perfumes 779
Silanethiols 779
Silathiolane 779
Silver-Al 155
Solubility, determination of 879
Solvent dependence, 1H-NMR 1301
Solvent polarity and viscosity 759

Spinlabel-ferrocene 955
Spiranes, aromatic 627
2,2′-Spirobi-(s-hydrindacene) 627
2,2′-Spirobiindane 627
Spirobiindanes 1163
Squaric acid derivatives 105
Statistical mechanics 169
Sterically hindred aromatic carbonyl compounds, LIS of 1163
Stilbenes 759
Strontium, $SrBeLa_2O_5$ 959
—, azide, X-ray 727
Strontiumazide-urea, X-ray 727
Sugars 245
Sulfamide, X-ray 427
Sulfates, of lanthanides 301
Sulfur, $TlCu_7S_4$ 967
Sulphines 1197
Surfactants, for metal precipitation 789
Synergism 589

Tautomerisation, biladienes 813
Tellurium-Pb binary 277
Terbium(III) complexes 907
Thallium, $TlCu_7S_4$ 967
—, samarium oxo wolframate, X-ray 1357
Thermal analysis 883, 1257
Thermal decomposition 1243
—, HNO_3 1205
Thermodynamic of mixtures 169
Thermodynamic parameters 445
Thermodynamic properties 155
Thermodynamics 1, 31, 155, 169, 277, 307, 445, 595, 879
Thermolysis 81, 1297
Thiadiazoles 229
1,3-Thiazine-6-thione 485
1,3-Thiazinium salts 1383
Thieno[2,3-b:4,5-b′]biquinoxalyl 659
Thiocarbinols 779
Thorium oxide, catalysis by 355
Thulium(III), complexes 1325
Titanocenes 671
Toluene-3,4-dithiol 589
Transfer free energy 435
Transition metals 323
Triacetylcellulose, optical resolution on 535
—, recycling chromatography 127
Triazapurines 553
1,2,4-Triazolo[1,5-alpyrimidines 601
Triazolo[4,5-d]pyrimidine derivatives 553
Trichloroisocyanuric acid—1/2 ethylene chloride, X-ray 1077
Tricyclo[7.3.1.$0^{2,7}$]tridecanes 793
Tricyclodecanes 1363
Trimethylisocyanuric acid, X-ray 1077
2,2,4-Trimethylpentane 1
Trimethylsilyl keten acetals 363
Trioctylamine 445
4-(Triphenylphosphoranylidenoamino)-2(1*H*)-quinolones 81
Tripyrrins 91, 255, 261
Trisilver(I) amidosulfate-3-ammonia-2-water, X-ray 349
Trisilver(I) amidosulfate monohydrate, X-ray 947
Triterpenoids 1195
Triton X-100 749
Tungsten, $TlSmW_2O_8$, X-ray 1357
—, complexes 183

Ullmann synthesis 871
Uracil, metal complexes 329
Uranium, UCr_4C_4, X-ray 43
—, arabinose 245
Urea, Sr-azide-, X-ray 727
Ureas, substituted 1395
Uv-vis 463, 699

Vanadium(V), as oxidant 63
Vanadium-cobalt sigma phase 51
3-Vinylindoles 1031, 1073
Violuric acid 329
Viscosity B-coefficients 197

Water-methanol-dichloromethane 1129
Wittig-olefination 527

X-ray, $BaNiLn_2O_5$ (*Ln* = Sm, Gd, Ho, Er, Tm) 741
—, $Ca(N_3)_2(C_5H_5N)_2$ 567
—, Ethyl-(Z)-2-cyano-2-(4-oxo-2-phenyl-2-pyrrolin-5-ylidene)acetate 409
—, 4-(2′-Hydroxybenzoyl)morpholine 1349
—, 1-(2′-Hydroxybenzoyl)piperidine 1349
—, Linear pentapyrrin 1185
—, Monosilver(I) amidosulfate 19
—, $Na_4K_2Ge_2O_7$ 573

—, $Pb_2(NO_2)(NO_3)(SeO_3)$ 211
—, Potassium oxocadmates 677
—, Rubidium oxocadmates 677
—, Squaric acid derivatives 105
—, $SrBeLa_2O_5$ 959
—, Strontiumazide-urea 727
—, Sulfamide 427
—, Tellurium lanthanide sulfates 301
—, $TlCu_7S_4$ 967
—, Trichloroisocyanuric acid-1/2-ethylene chloride 1077
—, Trimethyl isocyanuric acid 1077
—, Trisilver(I) amidosulfate mono hydrate 947
—, Trisilver(I)amidosulfate-3-ammonia-2-water 349
—, UCr_4C_4 43
—, α-$TlSmW_2O_8$ 1357

Ylides 115, 531
Yttrium *o*-nitrobenzoate 1087

Zinc dissolution 453
Zinc(II), salizylidene amino acid complexes *1289*
—, ternary complexes 1219